

Healthy Children and Youth: Michigan Progress on HP 2010 Targets

		2005 MI Rate	HP 2010 Target	Reached the Target	Trend 2000-2005	By	To meet target in next 5 years 2005 rate needs to improve by
Maternal/Infant							
Prenatal care in first trimester	% of live births	83	90	No	Improved	4%	8%
Low birthweight	% of live births	8	5	No	Worsened	6%	40%
Preterm	% of live births	10	8	No	Improved	8%	24%
Infant mortality rate	per 1,000	8	5	No	Improved	4%	43%
Young Children							
Fully immunized toddlers	%	81	80	YES	Improved	12%	0%
Lead-poisoned children, ages 1-6	% (of those tested)	2,336	0	No	Improved	45%	100%
Hospitalization for asthma, ages 0-4	per 10,000	47	25	No	Improved	4%	47%
Child deaths, ages 1-4	per 100,000	33	20	No	Improved	4%	40%
Child deaths, ages 5-9	per 100,000	16	13	No	Improved	7%	21%
Adolescents							
Teen pregnancies ages 15-17	per 1,000	27.8	43	YES	Improved	10%	0%
Teen deaths, ages 15-19	per 100,000	59	38	No	Improved	8%	35%
Physical fights	% high school students	30.1	32	YES	Improved	11%	0%
Suicide attempts	% high school students	9	1	No	Improved	9%	89%
Overweight	% high school students	12	5	No	Worsened	13%	59%
Vigorous exercise	% high school students	62	85	No	Worsened	4%	37%
Binge drinking	% high school students	23	11	No	Improved	23%	51%
Tobacco use	% high school students	23	21	No	Improved	22%	9%
All Children							
Confirmed victims of abuse/neglect (2006)	per 1,000	11	10	No	Worsened	10%	11%

Note 1. Shaded objectives require rising rates; that is, the higher the rate the better.

Note 2: Percent high school students are from Michigan Youth Risk Behavior Survey.